Intradialytic connection between blood pressure and hydration status in HD patients

<u>Ulrich Moissl</u>¹, Peter Wabel¹, Paul Chamney¹, Helga Petrov², Lutz Renders³, Tomas Jirka⁴, Petr Machek⁴, Petr Taborsky⁴, Jiri Vlasak⁴, Volker Wizemann⁵

- ¹ Fresenius Medical Care D GmbH, Bad Homburg, Germany
- ² Ev. Krankenhaus Königin Elisabeth, Berlin, Germany
- ³ Klinik für Nieren- und Hochdruckkrankheiten, Kiel, Germany
- ⁴ Fresenius Medical Care, Czech Republic
- ⁵ Georg-Haas-Dialysezentrum, Gießen, Germany

AIMS

 to investigate whether the prevailing hydration status (HS) and systolic blood pressure (BP) before dialysis could predict how an individual patient is likely to react to fluid removal.

METHODS

- BP was measured before and after dialysis treatment in 566 patients.
- Pre-dialysis hydration status (HSpre) was measured before the treatment using the BCM-Body Composition Monitor (Fresenius Medical Care), see Figure 1.
- Post-dialysis hydration status was calculated by subtracting the ultrafiltration volume (UFV) from pre-dialysis hydration status.
- Each measurement was entered into a diagram (hydration reference plot, HRP), see Figure 4. The region N characterises the reference range of a healthy population, Dx indicates a range of well controlled dialysis patients, and I to IV resemble different relationships between BP and hydration status.
- Each short line in the diagram represents a single treatment indicating the pre to post change in BP and hydration status.
- The data was filtered using a 2D lowpass filter to reveal the underlying morphology (streamlines a to a).

RESULTS

- Patients in group II (high BP, normal or low hydration status) exhibit the strongest average decrease in blood pressure over the treatment (streamline a).
- Patients in group IV with low BP and high hydration status on the contrary may even present increases in blood pressure during treatment (streamline g).
- Group N, Dx and I patients show mild or stronger changes in BP and hydration status, depending on the prevailing location of BP and pre-dialysis hydration status.

CONCLUSION


- In patients with reduced hydration status, intradialytic fluid removal leads to larger drops in BP, increasing the likelihood of hypotensive events.
- Despite the low prevailing BP presented in some patients, intradialytic fluid removal does not always cause a drop in BP. In some patients within this category an improvement in cardiac output might be implicated.
- This study further underlines the necessity of measuring both BP and hydration status.

Please visit the following related posters:

Thursday:

- TH-PO606 "Following the Target of Normohydration provided by BIS reduces Fluid Overload and IMEs."
- TH-PO615 "Fluid Overload in European Dialysis Centers." Friday:
- F-PO1682 "Malnutrition and Fluid Overload in HD patients

 prevalence and risk."






Figure 2: BIS was measured at different times before and after dialysis. Results show that a valid BIS measurement requires at least 30 minutes of equilibration time after the treatment (see Table 1).

What happens with BP and Hydration Status during dialysis? Measurements in 566 Patients pre-dialysis systolic BP direction of 180 the changes pre-dialysis hvdration 160 mmHg] Figure 3: Explanation of the red lines in Figure 4: The starting point (upper right) indicates a measurement of hydration status and BPsys before dialysis. The line (scaled down by a factor of 8) represents the direction of the end point (not pre 120 the end point itself for readability). Post-dialysis ВР hydration status was determined by subtracting Systolic UFV from pre-dialysis hydration status. 100 80 -2 2 Hydration Status [L] Figure 4: Streamlines in the BP/HS-Plot: Patients react differently to fluid removal.

 Table 1: Comparison of BIS-results versus Ultrafiltration volume (UFV)

	Immediately after treatment	30 min after treatment
UFV (∆weight) [L]	$2,\!50\pm0,\!79$	2,50 ± 0,79
∆ ECW [L]	2,48 ± 1,0*	2,45 ± 1,12*
∆ TBW [L]	$1,92 \pm 1,63^*$	2,54 ± 1,4*
∆ Hydr. Status [L]	$2,78 \pm 1,1^*$	2,44 ± 1,09*
∆ ICW [L]	$-1,34 \pm 1,54^{\circ}$ p<0,001	-0,09 ± 0,57**
∆ Fat mass [kg]	$0.90 \pm 1.37^{\circ}$ p<0.001	-0,39 ± 0,9**
∆ Lean mass [kg]	$-1,12 \pm 1,7^{\circ}$ p<0,001	-0,39 ± 0,95**
* = n.s.d. from UFV, °= s.d. from Zero, ** = n.s.d. from Zero		
After 30 min, the changes in hydration status measured by BIS precisely reflect the ultrafiltration volume.		

Take-home message:

 Low or normal BP is not always a sign of optimal hydration status

post change in BP and hydration status.

 The amount of BP change is dependent on the combination of pre-dialysis hydration status and BP

depending on their initial hydration status and pre-dialysis systolic blood pressure.

Each short line in the diagram represents a single treatment indicating the pre to

